



2.7 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting




2.8 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

2.9 Inside Vertical Right Angle Fitting and Outside Vertical Right Angle Fitting




2.10 Inside Vertical Right Angle Fitting and Outside Vertical Right Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

3.10 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting




3.11 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

3.12 Inside Vertical Right Angle Fitting and Outside Vertical Right Angle Fitting




3.13 Inside Vertical Right Angle Fitting and Outside Vertical Right Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

4.10 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting




4.11 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

4.12 Inside Vertical Right Angle Fitting and Outside Vertical Right Angle Fitting




4.13 Inside Vertical Right Angle Fitting and Outside Vertical Right Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

5.7 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting




5.8 Inside Vertical 45° Angle Fitting and Outside Vertical 45° Angle Fitting Detail




When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black

5.9 Inside Vertical 45° Angle Fittings and Outside Vertical Right Angle Fitting



5.10 Inside Vertical 45° Angle Fittings and Outside Vertical Right Angle Fitting Detail



When ordering, replace ** in the part number with YL for Yellow, OR for Orange or BL for Black