



PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
MODIFICATION / REVISION DATE: 25/4/2022

A-MCUP-80050 MODULAR CABLE

CHANGE NOTIFICATION: PCN 20220425_A-MCUP-80050

DESCRIPTION OF CHANGES: CHANGE OF DATA SHEET
CHANGE OF DATA SHEET
New Draw.-No. ASS_7407_CArev04

REASON FOR CHANGE: CHANGE OF PRODUCT LOCATION
CHANGE OF PRODUCT LOCATION

KEY CHARACTERISTICS OF CHANGE: Details see page 3

PRODUCTS AFFECTED: A-MCUP-80050

DATE OF CHANGE AND IMPLEMENTATION: CHANGE: WEEK 18 / YEAR 2022
IMPLEMENTATION: 25/4/2022

RESPONSE: NO RESPONSE TO THIS NOTIFICATION IS REQUIRED



Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-200
Fax: +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
MODIFICATION / REVISION DATE: 25/4/2022

REFERENCE DOCUMENTS / ATTACHMENTS:
DOCUMENT: DRAWING

| ASSMANN WSW P/N | Drawing Number | | ASSMANN WSW P/N | Drawing Number |
|-----------------|------------------|---|-----------------|------------------|
| A-MCUP-80050 | ASS_7407_CArev03 | ↔ | A-MCUP-80050 | ASS_7407_CArev04 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



Auf dem Schüffel 1
 D-58513 Lüdenscheid
 Tel.: +49-2351 - 554-200
 Fax +49 (2351) 554-861
 info@assmann-wsw.com
 www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
 MODIFICATION / REVISION DATE: 25/4/2022

| A-MCUP-80050 OLD VERSION | A-MCUP-80050 NEW VERSION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------------|-------|--|---------------|---|-------------|---|-----------------|---|-----------|---|---|---|-------|---|------------------------------------|---|-----|-------|-----|---------------|---|---------------|---|-----------------|---|-------------|---|--|---|---------|---|---|
| <p>Appearance</p> <p>BOM</p> <table border="1"> <thead> <tr> <th>NO.</th> <th>NAME.</th> <th>QTY</th> <th>SPECIFICATION</th> </tr> </thead> <tbody> <tr> <td>③</td> <td>Molding PVC</td> <td>2</td> <td>Molding PVC 45P</td> </tr> <tr> <td>②</td> <td>RJ45 CONN</td> <td>2</td> <td>RJ45 8P8C, Two Fork gold plated contacts 3u" gold</td> </tr> <tr> <td>①</td> <td>CABLE</td> <td>1</td> <td>UTP(26AWG*x1PR)*4+PVC OD:4.9±0.2mm</td> </tr> </tbody> </table> | NO. | NAME. | QTY | SPECIFICATION | ③ | Molding PVC | 2 | Molding PVC 45P | ② | RJ45 CONN | 2 | RJ45 8P8C, Two Fork gold plated contacts 3u" gold | ① | CABLE | 1 | UTP(26AWG*x1PR)*4+PVC OD:4.9±0.2mm | <p>Appearance</p> <p>BOM</p> <table border="1"> <thead> <tr> <th>NO.</th> <th>NAME.</th> <th>QTY</th> <th>SPECIFICATION</th> </tr> </thead> <tbody> <tr> <td>④</td> <td>△ Molding PVC</td> <td>2</td> <td>Molding PVC 65P</td> </tr> <tr> <td>④</td> <td>△ RJ45 CONN</td> <td>2</td> <td>RJ45 8P8C, contacts 3u" gold-plated Un-shielded PC UL94V-2</td> </tr> <tr> <td>④</td> <td>△ CABLE</td> <td>1</td> <td>CAT 5E U/UTP(26AWGx1PR)*4+PVC Jacket OD:4.9±0.2mm</td> </tr> </tbody> </table> | NO. | NAME. | QTY | SPECIFICATION | ④ | △ Molding PVC | 2 | Molding PVC 65P | ④ | △ RJ45 CONN | 2 | RJ45 8P8C, contacts 3u" gold-plated Un-shielded PC UL94V-2 | ④ | △ CABLE | 1 | CAT 5E U/UTP(26AWGx1PR)*4+PVC Jacket OD:4.9±0.2mm |
| NO. | NAME. | QTY | SPECIFICATION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | Molding PVC | 2 | Molding PVC 45P | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | RJ45 CONN | 2 | RJ45 8P8C, Two Fork gold plated contacts 3u" gold | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | CABLE | 1 | UTP(26AWG*x1PR)*4+PVC OD:4.9±0.2mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NO. | NAME. | QTY | SPECIFICATION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | △ Molding PVC | 2 | Molding PVC 65P | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | △ RJ45 CONN | 2 | RJ45 8P8C, contacts 3u" gold-plated Un-shielded PC UL94V-2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | △ CABLE | 1 | CAT 5E U/UTP(26AWGx1PR)*4+PVC Jacket OD:4.9±0.2mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

