



PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 22/8/2022
MODIFICATION / REVISION DATE: 22/8/2022

A-MCSP60050/Y MODULAR CABLE

CHANGE NOTIFICATION: PCN 20220822_A-MCSP60050/Y

DESCRIPTION OF CHANGES: CHANGE OF DATA SHEET
CHANGE OF DATA SHEET
New Draw.-No. ASS_7542_CArev06

REASON FOR CHANGE: CHANGE OF MATERIAL PARAMETERS OR PROPERTIES
CHANGE OF MATERIAL PARAMETERS OR PROPERTIES

KEY CHARACTERISTICS OF CHANGE: Details see page 3

PRODUCTS AFFECTED: A-MCSP60050/Y

DATE OF CHANGE AND IMPLEMENTATION: CHANGE: WEEK 35 / YEAR 2022
IMPLEMENTATION: 22/8/2022

RESPONSE: NO RESPONSE TO THIS NOTIFICATION IS REQUIRED



Auf dem Schüffel 1
 D-58513 Lüdenscheid
 Tel.: +49-2351 - 554-200
 Fax: +49 (2351) 554-861
 info@assmann-wsw.com
 www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 22/8/2022
 MODIFICATION / REVISION DATE: 22/8/2022

REFERENCE DOCUMENTS / ATTACHMENTS:
 DOCUMENT: DRAWING

ASSMANN WSW P/N	Drawing Number		ASSMANN WSW P/N	Drawing Number
A-MCSP60050/Y	ASS_7542_CArev05	↔	A-MCSP60050/Y	ASS_7542_CArev06




Auf dem Schüffel 1
 D-58513 Lüdenscheid
 Tel.: +49-2351 - 554-200
 Fax +49 (2351) 554-861
 info@assmann-wsw.com
 www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 22/8/2022
 MODIFICATION / REVISION DATE: 22/8/2022

A-MCSP60050/Y	A-MCSP60050/Y																																																																																																																																																						
OLD VERSION	NEW VERSION																																																																																																																																																						
<p>PIN OUT</p> <div data-bbox="175 737 756 1136" style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">PIN OUT</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">CN1</th> <th style="width: 5%;"></th> <th style="width: 40%;">④ WIRE COLOR</th> <th style="width: 5%;"></th> <th style="width: 15%;">CN2</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>—</td> <td>ORANGE/WHITE</td> <td>—</td> <td>1</td> </tr> <tr> <td>2</td> <td>—</td> <td>ORANGE</td> <td>—</td> <td>2</td> </tr> <tr> <td>3</td> <td>—</td> <td>GREEN/WHITE</td> <td>—</td> <td>3</td> </tr> <tr> <td>6</td> <td>—</td> <td>GREEN</td> <td>—</td> <td>6</td> </tr> <tr> <td>4</td> <td>—</td> <td>BLUE</td> <td>—</td> <td>4</td> </tr> <tr> <td>5</td> <td>—</td> <td>BLUE/WHITE</td> <td>—</td> <td>5</td> </tr> <tr> <td>7</td> <td>—</td> <td>BROWN/WHITE</td> <td>—</td> <td>7</td> </tr> <tr> <td>8</td> <td>—</td> <td>BROWN</td> <td>—</td> <td>8</td> </tr> <tr> <td>SHELL</td> <td>—</td> <td>BRAID</td> <td>—</td> <td>SHELL</td> </tr> </tbody> </table> </div>	CN1		④ WIRE COLOR		CN2	1	—	ORANGE/WHITE	—	1	2	—	ORANGE	—	2	3	—	GREEN/WHITE	—	3	6	—	GREEN	—	6	4	—	BLUE	—	4	5	—	BLUE/WHITE	—	5	7	—	BROWN/WHITE	—	7	8	—	BROWN	—	8	SHELL	—	BRAID	—	SHELL	<p>PIN OUT</p> <div data-bbox="829 825 1435 1056" style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p style="text-align: center;">PIN OUT</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">CN1</th> <th style="width: 5%;"></th> <th style="width: 40%;">WIRE COLOR</th> <th style="width: 5%;"></th> <th style="width: 15%;">CN2</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>—</td> <td>WHITE</td> <td>—</td> <td>1</td> </tr> <tr> <td>2</td> <td>—</td> <td>ORANGE</td> <td>—</td> <td>2</td> </tr> <tr> <td>3</td> <td>—</td> <td>WHITE</td> <td>—</td> <td>3</td> </tr> <tr> <td>6</td> <td>—</td> <td>GREEN</td> <td>—</td> <td>6</td> </tr> <tr> <td>4</td> <td>—</td> <td>BLUE</td> <td>—</td> <td>4</td> </tr> <tr> <td>5</td> <td>—</td> <td>WHITE</td> <td>—</td> <td>5</td> </tr> <tr> <td>7</td> <td>—</td> <td>WHITE</td> <td>—</td> <td>7</td> </tr> <tr> <td>8</td> <td>—</td> <td>BROWN</td> <td>—</td> <td>8</td> </tr> <tr> <td>SHELL</td> <td>—</td> <td>BRAID</td> <td>—</td> <td>SHELL</td> </tr> </tbody> </table> </div> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p style="text-align: center;">PIN OUT</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">CN1</th> <th style="width: 5%;"></th> <th style="width: 40%;">WIRE COLOR</th> <th style="width: 5%;"></th> <th style="width: 15%;">CN2</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>—</td> <td>ORANGE/WHITE</td> <td>—</td> <td>1</td> </tr> <tr> <td>2</td> <td>—</td> <td>ORANGE</td> <td>—</td> <td>2</td> </tr> <tr> <td>3</td> <td>—</td> <td>GREEN/WHITE</td> <td>—</td> <td>3</td> </tr> <tr> <td>6</td> <td>—</td> <td>GREEN</td> <td>—</td> <td>6</td> </tr> <tr> <td>4</td> <td>—</td> <td>BLUE</td> <td>—</td> <td>4</td> </tr> <tr> <td>5</td> <td>—</td> <td>BLUE/WHITE</td> <td>—</td> <td>5</td> </tr> <tr> <td>7</td> <td>—</td> <td>BROWN/WHITE</td> <td>—</td> <td>7</td> </tr> <tr> <td>8</td> <td>—</td> <td>BROWN</td> <td>—</td> <td>8</td> </tr> <tr> <td>SHELL</td> <td>—</td> <td>BRAID</td> <td>—</td> <td>SHELL</td> </tr> </tbody> </table> </div> </div> <p>⑥ *The PIN OUT is applied to cable length ≥10M *The PIN OUT is applied to cable length <10M</p>	CN1		WIRE COLOR		CN2	1	—	WHITE	—	1	2	—	ORANGE	—	2	3	—	WHITE	—	3	6	—	GREEN	—	6	4	—	BLUE	—	4	5	—	WHITE	—	5	7	—	WHITE	—	7	8	—	BROWN	—	8	SHELL	—	BRAID	—	SHELL	CN1		WIRE COLOR		CN2	1	—	ORANGE/WHITE	—	1	2	—	ORANGE	—	2	3	—	GREEN/WHITE	—	3	6	—	GREEN	—	6	4	—	BLUE	—	4	5	—	BLUE/WHITE	—	5	7	—	BROWN/WHITE	—	7	8	—	BROWN	—	8	SHELL	—	BRAID	—	SHELL
CN1		④ WIRE COLOR		CN2																																																																																																																																																			
1	—	ORANGE/WHITE	—	1																																																																																																																																																			
2	—	ORANGE	—	2																																																																																																																																																			
3	—	GREEN/WHITE	—	3																																																																																																																																																			
6	—	GREEN	—	6																																																																																																																																																			
4	—	BLUE	—	4																																																																																																																																																			
5	—	BLUE/WHITE	—	5																																																																																																																																																			
7	—	BROWN/WHITE	—	7																																																																																																																																																			
8	—	BROWN	—	8																																																																																																																																																			
SHELL	—	BRAID	—	SHELL																																																																																																																																																			
CN1		WIRE COLOR		CN2																																																																																																																																																			
1	—	WHITE	—	1																																																																																																																																																			
2	—	ORANGE	—	2																																																																																																																																																			
3	—	WHITE	—	3																																																																																																																																																			
6	—	GREEN	—	6																																																																																																																																																			
4	—	BLUE	—	4																																																																																																																																																			
5	—	WHITE	—	5																																																																																																																																																			
7	—	WHITE	—	7																																																																																																																																																			
8	—	BROWN	—	8																																																																																																																																																			
SHELL	—	BRAID	—	SHELL																																																																																																																																																			
CN1		WIRE COLOR		CN2																																																																																																																																																			
1	—	ORANGE/WHITE	—	1																																																																																																																																																			
2	—	ORANGE	—	2																																																																																																																																																			
3	—	GREEN/WHITE	—	3																																																																																																																																																			
6	—	GREEN	—	6																																																																																																																																																			
4	—	BLUE	—	4																																																																																																																																																			
5	—	BLUE/WHITE	—	5																																																																																																																																																			
7	—	BROWN/WHITE	—	7																																																																																																																																																			
8	—	BROWN	—	8																																																																																																																																																			
SHELL	—	BRAID	—	SHELL																																																																																																																																																			
<p>FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE</p>																																																																																																																																																							



1

2

3

4

5

6

7

A

B

C

D

E

F

G

H

A

B

C

D

E

F

G

H

LENGTH

8
CN1
1

1
CN2
8

① Order code: A-MCSSP60XXX : color Grey

order lengths in meter:
0.5, 1, 2, 3, 5, 7, 10, 15, 20, 30


① Order code: A-MCSSP60XXX/X

order lengths in meter:
0.5, 1, 2, 3, 5, 7, 10, 15, 20, 30

order color: (R)Red, (Y)Yellow,
(G)Green, (B)Blue

② Tolerance

Length Code	Length(meter)	Max-M	Min-M
005	0.5	+0.03	-0.025
010	1	+0.04	-0.035
020	2	+0.06	-0.06
030	3	+0.09	-0.09
050	5	+0.15	-0.15
070	7	+0.21	-0.21
100	10	+0.3	-0.3
150	15	+0.45	-0.45
200	20	+0.6	-0.6
300	30	+0.9	-0.9



Electrical test:
Open/Short/intermittence: 100%

CN1	PIN OUT	WIRE COLOR	CN2
1	↔	WHITE	1
2	↔	ORANGE	2
3	↔	WHITE	3
6	↔	GREEN	6
4	↔	BLUE	4
5	↔	WHITE	5
7	↔	WHITE	7
8	↔	BROWN	8
SHELL		BRAID	SHELL

CN1	PIN OUT	WIRE COLOR	CN2
1	↔	ORANGE/WHITE	1
2	↔	ORANGE	2
3	↔	GREEN/WHITE	3
6	↔	GREEN	6
4	↔	BLUE	4
5	↔	BLUE/WHITE	5
7	↔	BROWN/WHITE	7
8	↔	BROWN	8
SHELL		BRAID	SHELL

⑥ *The PIN OUT is applied to cable length ≥10M

*The PIN OUT is applied to cable length <10M

NO.	NAME.	Q'TY	SPECIFICATION
④	AL-Foil	2	Double-sided conductive aluminum foil
④	Molding PVC	2	Molding PVC 65P
④	RJ45 CONN	2	RJ45 8P8C, Two Fork gold plated contacts 3u" with metal housing
④③	CABLE	1	CAT6 S/FTP(26AWG*1PR-A)*4+B(AM)+PVC OD:5.8±0.2mm

Scale	FREE	⑥	Add a PIN OUT for cable length ≥10M	19.08.2022	Luca	Date	Name	Customer-No.
TOLERANCE		⑤	Add length code	29.06.2022	Luca	Drawn	01.02.2016	Joanna
		④	Change the plant	12.04.2022	Luca	Approved	19.08.2022	Luca
		③	Update the cable description	01.11.2018	Segal			
DIM		TOL	②	Clarify the tolerance	23.08.2018	Segal		
			①	Add Grey color order code	11.08.2016	Ray		
Angle		TOL	Id.	Modification	Date	Name		

RoHS compliant

Unit: mm

ASSMANN WSW-No.
A-MCSSP60XXX/X

Drawing-No.
ASS 7542 CA rev06

Replace Sheet

1

2

3

4

5

6

7